Search...

тМШК

ЁЯЗ╢ЁЯЗ╣ EnglishЁЯЗ╖ЁЯЗ╢ ╨а╥Г╥Б╥Б╨╢╨╣ ╨╡

╨Ю╥Б╨╨╨╣ ╨▒▒╥Л

ЁЯРм╨Я╨╡╥А╨▒▒╥Л╨╡ ╨╗╨▒╨▒╨╣ ╥Г╥Б╨╢

╨Я╨╡╥А╨╡ ╨╗╨▒╨▒╨╣ ╥А╥Г╨╗╨╢╨▒

╨г╨╣ ╥А╨▒╨▒╨╗╨╡ ╨╨╨╣╨╡

╨Э╨▒╥Б╥В╥А╨╨╡ ╨╡╨╢╨▒ SD-╨╢╨▒╥А╥В╥Л

╨Ю╨▒╨╨╨╣ ╨▒▒╨╗╨╡ ╨╨╨╣╨╡ ╨╣ ╥А╨╨╣ ╥И╨╡ ╨▒▒╨╢╨╡

╨Т╨╣ ╥Б╥Б╥В╨▒╨╨╨╣ ╨▒▒╨╗╨╡ ╨╨╨╣╨╡ ╨╣ ╥А╨╨╣ ╥И╨╡ ╨▒▒╨╢╨╡

╨Я╨╡ ╥В╨▒╨╨╨╡ ╨╡

Sub GHz

╨а╨▒╨╗╥А╨╡ ╥И╨╡ ╨╨╨╣╥Л╨╡ ╥З╨▒╥Б╥В╨╣ ╥В╥Л

╨Ш╨╗╨▒╨▒╨╡ ╥Б╥В╨╨╥Л╨╡ ╨╣ ╥А╨╣ ╥В╨╣ ╨╢╨╣ ╨╗╥Л

╨б╨╣ ╨╡ ╥Б╨╣ ╨╢ ╨╣ ╥А╨╡ ╨╡ ╨╣╨╨╨╡ ╨╢╨╣ ╨▒▒

RFID 125 kHz

╨╖╥В╨╡ ╨╨╨╡

╨а╨╡ ╨╣ ╨▒╨╢╨╢╥В╨╡ ╥А╨╣ ╨▒▒╨▒╨╨╨╡

╨Ф╨╣ ╨▒╨╢╨▒▒╨╗╨╡ ╨╨╨╡ ╨╡ ╨▒▒╥А╥Г╥З╨╨╥Г╥О

╨н╨╣╥Г╨╗╥П╥Ж╨╡ ╥П

╨ч╨▒╨╣ ╨╡ ╥Б╥М ╨╨╨▒ ╨╢╨╣ ╨╗╨▒▒╨▒╨╨╨╢╥Г

╨б╨╣ ╨╡ ╥Б╨╣ ╨╢ RFID ╥Б╥З╨╡ ╥В╥Л╨▒▒╨▒╥В╨╡ ╨╗╨╡ ╨╡

NFC

╨╖╥В╨╡ ╨╨╨╡

╨а╨╡ ╨╣ ╨▒╨╢╨╢╥В╨╡ ╥А╨╣ ╨▒▒╨▒╨╨╨╡

╨Ф╨╣ ╨▒╨╢╨▒▒╨╗╨╡ ╨╨╨╡ ╨╡ ╨▒▒╥А╥Г╥З╨╨╥Г╥О

╨н╨╣╥Г╨╗╥П╥Ж╨╡ ╥П

╨б╨╣ ╨╡ ╥Б╨╣ ╨╢ NFC ╥Б╥З╨╡ ╥В╥Л╨▒▒╨▒╥В╨╡ ╨╗╨╡ ╨╡

╨в╨╡ ╨╡ ╥Л NFC ╨╢╨▒╥А╥В

╨Ш╨╨╥Л╥А╨▒╨╢╥А╨▒╥Б╨╨╥Л╨╡ ╨╡ ╨╣ ╥А╥В

╨╖╥В╨╡ ╨╨╨╡

╨а╨╡ ╨╣ ╨▒╨╢╨╢╥В╨╡ ╥А╨╣ ╨▒▒╨▒╨╨╨╡

╨н╨╣╥Г╨╗╥П╥Ж╨╡ ╥П

╨С╥А╥Г╥В╥Д╨╣ ╥А╥Б ╨╡ ╨╣ ╥Б╨╗╨╣ ╨▒▒╨▒╥А╥О

╨Ш╨╗╨▒╨▒╨╡ ╥Б╥В╨╨╥Л╨╡ ╨Ш╨╢╨╡ ╥А╨╣ ╥В╨╣ ╨╢╨╣ ╨╗╥Л

GPIO ╨╡ ╨Ь╨╣ ╨╡ ╥Г╨╗╨╡

Wi-Fi Module

iButton

╨╖╥В╨╡ ╨╨╨╡

╨а╨╡ ╨╣ ╨▒╨╢╨╢╥В╨╡ ╥А╨╣ ╨▒▒╨▒╨╨╨╡

╨Ф╨╣ ╨▒╨╢╨▒▒╨╗╨╡ ╨╨╨╡ ╨╡ ╨▒▒╥А╥Г╥З╨╨╥Г╥О

╨н╨╣╥Г╨╗╥П╥Ж╨╡ ╥П

╨ч╨▒╨╣ ╨╡ ╥Б╥М ╨╨╨▒ ╨╢╨╣ ╨╗╨▒▒╨▒╨╨╨╢╥Г

╨в╨╡ ╨╡ ╥Л ╨╢╨╣╥О╥З╨╡ ╨╡ iButton

╨а╨▒╨╢╨╢╥А╨▒╨╢╨╣ ╥В╨╢╨╢╨▒

5min

Wi-Fi ╨└╨┤ ╨┤ ╨└┤ ╥Г╨┬╥M ╨└╨└ ESP32-S2

╨Я╥А╨┤ ╨└╥Ж╨┤ ╨┬ ╨┤ ╨└╨┬╥M╨└╨└╥П ╥Б╥Е╨┤ ╨┤╨└

╨Ю╨└╥Й╨┤ ╨┤╨└ PDF ╥Д╨└╨┤╨┬╨┬

ESP32-S2_Board_Schematic.pdf

General Live View

MCU Live View

Power Live View

Connectors Live View

я┬┬

Updated 10 Dec 2021
Did this page help?
Yes

No

UP NEXT

IO B 3 ST-LinkV3

Documentation powered by aarchbee a

Community

Kickstarter

Habr.com

Discord

Forum

Blog

For developers

Developer Program

Github

Partners

About